SPECIES Dipsosaurus dorsalis ~~(2)~~

SACK NO. Y (no #) SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 133

DATE Aug. 2~~4~~, 1958 SPEEDOMETER 10876

LOCALITY 3 mi. S. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TIME 1145 CLOUDS 50%

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) ______

WIND VELOCITY(miles/hour) 0 TAG NO. 1

AIR TEMPERATURE 41.7 °C 107 °F

ROAD TEMPERATURE 53 °C 127.4 °F

SOIL SURFACE TEMPERATURE 59 °C 138.2 °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT flat, open desert

REMARKS: seen running across road. Chased to several bushes — seen panting after 3rd bush.
~~Second one ran to 2 bushes — no panting~~

SPECIES Dipsosaurus dorsalis

SACK NO. Y (no #) SEX ♂? AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 121

DATE Aug. 24, 1958 SPEEDOMETER 10876

LOCALITY 3 mi. S. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TIME 1150 CLOUDS 50%

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) ______

WIND VELOCITY(miles/hour) 0 TAG NO. 2

AIR TEMPERATURE 41.7 °C 107 °F

ROAD TEMPERATURE 53 °C 127.4 °F

SOIL SURFACE TEMPERATURE 59 °C 138.2 °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT flat, open desert.

REMARKS: Ran to 2 bushes — no panting.

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code15dipsosauru00mayh

SPECIES Dipsosaurus dorsalis

SACK NO. Y10 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 125

DATE Aug. 24, 1958 SPEEDOMETER 10854

LOCALITY 4 mi. S. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TIME 0825 CLOUDS 25%

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) 70 (?)

WIND VELOCITY(miles/hour) 0 TAG NO. 3

AIR TEMPERATURE 36.1 °C 97 °F

ROAD TEMPERATURE 42 °C 107.6 °F

SOIL SURFACE TEMPERATURE 44 °C 111.2 °F

CLOACAL TEMPERATURE 39.4 °C 102.9 °F

HABITAT flat, open desert.

REMARKS: Temp. taken as soon as caught — ♂ was not chased any distance before capture.

SPECIES Dipsosaurus dorsalis

SACK NO. Y2 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 127

DATE Aug. 24, 1958 SPEEDOMETER 10855

LOCALITY 3 mi. S. Ocotillo Wells, ~~Imperial~~ San Diego Co., Calif.

STANDARD TIME 0920 CLOUDS 25%

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) 70 (?)

WIND VELOCITY(miles/hour) 0 TAG NO. 4

AIR TEMPERATURE 33.9 °C 93 °F

ROAD TEMPERATURE 42 °C 107.6 °F

SOIL SURFACE TEMPERATURE 44 °C 111.2 °F

CLOACAL TEMPERATURE 40.8 °C 105.5 °F

HABITAT flat, open desert.

REMARKS: no chase – sitting at edge of road.

SPECIES Dipsosaurus dorsalis

RACK NO. R5 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 130

DATE Aug. 24, 1958 SPEEDOMETER 10876

LOCALITY 3 mi. S. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TIME 1300 CLOUDS 50%

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) ______

WIND VELOCITY(miles/hour) 0 TAG NO. 5

AIR TEMPERATURE 42.2 °C 108 °F

ROAD TEMPERATURE 53 °C 127.4 °F

SOIL SURFACE TEMPERATURE 59 °C 138.2 °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT flat, open desert.

REMARKS: ______

SPECIES Dipsosaurus dorsalis

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 115

DATE June 12, 1958 SPEEDOMETER ______

LOCALITY 11 mi. W. of the Sand Hills, Imperial Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) ______

WIND VELOCITY(miles/hour) ______ TAG NO. 6

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT flat desert with large creosote bushes.

REMARKS: Kept in cage until 8/29/58; thought she was gravid. Didn't lay by this time, so autopsied. Several large eggs present, but appeared to be regressing.

SPECIES *Dipsosaurus dorsalis*

SACK NO. Y 8 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 134

DATE Aug. 24, 1958 SPEEDOMETER 10876

LOCALITY 3 mi. S. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TIME 1230 CLOUDS 50%

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) ______

WIND VELOCITY(miles/hour) 0 TAG NO. 7

AIR TEMPERATURE 42.2 °C 108 °F

ROAD TEMPERATURE 53 °C 127.4 °F

SOIL SURFACE TEMPERATURE 59 °C 138.2 °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT flat, open desert.

REMARKS: ______

SPECIES Dipsosaurus dorsalis

SACK NO. Y11 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 108

DATE Aug. 24, 1958 SPEEDOMETER 10876

LOCALITY 3 mi. S. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TIME 1225 CLOUDS 50%

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) ______

WIND VELOCITY(miles/hour) 0 TAG NO. 8

AIR TEMPERATURE 41.1 °C 106 °F

ROAD TEMPERATURE 53 °C 127.4 °F

SOIL SURFACE TEMPERATURE 59 °C 138.2 °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT flat, open desert.

REMARKS: ______

SPECIES Dipsosaurus dorsalis

SACK NO. Y (60 #) SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 118

DATE Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0850 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION W ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 1 TAG NO. 9

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE 41.2 °C 106.2 °F

HABITAT flat desert with sandy hummocks.

REMARKS: no chase before capture in shade of creosote bush.

Dipsosaurus dorsalis 10

R2 ad.

181

Apr. 10, 1959 25209

32 mi. N. of Baker

San Bernardino Calif.

1320

— —

S.W. —

1-3

31.0 34.8

52.0

creosote bush scrub

SPECIES *Dipsosaurus dorsalis*

SACK NO. R 6 SEX ♀ AGE Ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 127

DATE 9/20/58 SPEEDOMETER 13064

LOCALITY 4 mi. S. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TIME 1050 CLOUDS none

MOON —— RELATIVE HUMIDITY(%) ~5

WIND DIRECTION none ALTITUDE(ft) ______

WIND VELOCITY(miles/hour) 0 TAG NO. 11

AIR TEMPERATURE 3′ = 39.2, 2″ = 43.5 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE Sun = 54°; Shade at spot where lizard sat } 42.6 °C ______ °F

CLOACAL TEMPERATURE 43 °C ______ °F

HABITAT Creosote bush desert.

REMARKS: no chase

Dipsosaurus dorsalis 12

R6 ♀ ad.

125

Apr. 10, 1959 25209

32 mi. N. of Baker (on Highway 127)

San Bernardino Calif.

1250 none

— —

S.W. —

1-3

31.0 34.8

52.0

creosote bush scrub

Dipsosaurus dorsalis 13

Y5 ♀ imm(?)

102

Apr. 10, 1959 25209

32 mi. N. of Baker

San Bernardino Calif.

1255 none

— —

~~N.E.~~ S.W. —

1-3

31.0 34.8

52.0

creosote bush ~~hab~~ scrub

SPECIES Dipsosaurus dorsalis TAG NO. 14

CONTAINER NO. R12 SEX ♂ AGE ad. TOE-CLIP #

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 102

DATE Apr. 24, 1959 SPEEDOMETER 26857

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1202 CLOUDS(% overcast) 80 (thin)

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi./hr.) 13-15 ROAD TEMP.

AIR TEMP (30 in) 31.9 °C AIR TEMP(1 cm) 32.6 °C

SAND SURFACE TEMP 47.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand at base of creosote bush scrub

REMARKS:

Dipsosaurus dorsalis 15

CONTAINER NO. Y5 SEX ♂ AGE ad.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 126

DATE Apr. 24, 1959 SPEEDOMETER 26857

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1130 CLOUDS(% overcast) 80 (thin)

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi./hr.) 13-15 ROAD TEMP.

AIR TEMP (30 in) 31.9 °C AIR TEMP(1 cm) 32.6 °C

SOIL SURFACE TEMP 47.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand at base of creosote bush scrub

REMARKS:

SUBJECT Dipsosaurus dorsalis FIELD NO. 16

CATALOG NO. B24 SEX ♀ AGE imm TOE-CLIP # 3

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE Apr. 24, 1959 SPEEDOMETER 26857

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1153 CLOUDS(% overcast) 80 (thin)

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi./hr.) 13-15 ROAD TEMP. °C

AIR TEMP (30 in) 31.9 °C AIR TEMP(2 cm) 32.6 °C

S[illegible] SURFACE TEMP 47.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand at base of creosote bush scrub

REMARKS: toe-clipped, # 3

SPECIES Dipsosaurus dorsalis NO. 17

CONTAINER NO. B24 SEX ♀ AGE imm TOE-CLIP #

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 63

DATE Apr. 24, 1959 SPEEDOMETER 26857

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1128 CLOUDS(% overcast) 80 (thin)

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi./hr.) 13-15 ROAD TEMP. ______

AIR TEMP (?? in) 31.9 °C AIR TEMP(1 cm) 32.6

SOIL SURFACE TEMP 47.5 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT sand at base of creosote bush scrub

REMARKS: ______

SPECIES Dipsosaurus dorsalis TAG NO. 18

CONTAINER NO. R4 SEX ♂ AGE imm TOE-CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE Apr. 24, 1959 SPEEDOMETER 26857

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1055 CLOUDS(% overcast) 80 (thin)

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 10-13 ROAD TEMP. °

AIR TEMP (30 in) 30.6 °C AIR TEMP(1 cm) 32.5 °

SOIL SURFACE TEMP 45.8 °C CLOACAL TEMP °

ROCK SURFACE TEMP °C

HABITAT Sand at base of creosote bush scrub

REMARKS:

SPECIES Dipsosaurus dorsalis FIELD NO. 19

CONTAINER NO. R8 SEX ____ AGE imm(?) POST-CLVT ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 101

DATE Apr. 29, 1959 STENOGRAPHER 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1000 CLOUDS(% overcast) 0

RAIN — RELATIVE HUMIDITY(%) 20

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. ____ °C

AIR TEMP (30 in) 39.4 °C AIR TEMP(1 cm) 40.8 °C

SURFACE TEMP 51.0 °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C

HABITAT creosote bush scrub (sandy)

REMARKS:

Dipsosaurus dorsalis 20

Y10 ♂ ad.

WEIGHT(gm.) SNOUT-VENT LENGTH 124

DATE Apr. 30, 1959 SPECIMEN NO. 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0730 CLOUDS(% overcast) 80

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25 ROAD TEMP. °C

AIR TEMP (30 in) 21.9 °C AIR TEMP(1 cm) 24.2 °C

SURFACE TEMP 32.6 °C CLOACAL TEMP 29.6 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS sitting on sand on lee side of creosote bush, sunning itself.

[illegible] Dipsosaurus dorsalis 21

[illegible] R12 ♂ ad.

[illegible] SNOUT-VENT LENGTH(mm) 120

DATE Apr. 29, 1959 [illegible] 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. ____ °C

AIR TEMP ([illegible]) 38.0 °C AIR TEMP(1 cm) 40.0 °C

[illegible] SURFACE TEMP 51.5 °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C

HABITAT creosote bush scrub (sandy)

REMARKS:

SPECIES Dipsosaurus dorsalis TAG NO. 22

CONTAINER NO. R19 SEX ♂ AGE imm(?) TOE-CLIPS

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 100

DATE Apr. 29, 1959 SPEEDOMETER 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1107 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP.

AIR TEMP (30 in) 38.4 °C AIR TEMP(1 cm) 40.0

SOIL SURFACE TEMP 51.5 °C CLOACAL TEMP

SUBSURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS

Dipsosaurus dorsalis 23

R22 ♂ ad.

SNOUT-VENT LENGTH(mm) 119

Apr. 29, 1959 SPEEDOMETER 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0945 CLOUDS(% overcast) none

— RELATIVE HUMIDITY(%) 20

WIND DIRECTION none ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. °C

AIR TEMP (30 in) 39.4 °C AIR TEMP(1 cm) 40.8 °C

SURFACE TEMP 51.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS

Dipsosaurus dorsalis 24

Y2 SEX ♂ AGE ad.

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 122

DATE Apr. 29, 1959 PHOTOGRAPHS 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION S. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP.

(30 in) 38.4 °C AIR TEMP(1 cm) 40.0

TEMP 51.5 °C CLOACAL TEMP

°C

creosote bush scrub (sandy)

[SPECIES] Dipsosaurus dorsalis [FIELD NO.] 25

[CONTAINER NO.] Y1 [SEX] ♂ [AGE] imm. [TOE-CLIP]

[WEIGHT(gms)] [SNOUT-VENT LENGTH(mm)] 90

[DATE] Apr. 29, 1959 SPEEDOMETER 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1048 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION S ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

[AIR] TEMP (30 in) 38.4 °C AIR TEMP(1 cm) 40.0 °C

[SOIL SURFACE] TEMP 51.5 °C CLOACAL TEMP °C

[ROCK SURFACE TEMP] °C

[HABITAT] creosote bush scrub (sandy)

[REMARKS]

SPECIES	Dipsosaurus dorsalis
TAG NO.	26
CONTAINER NO.	Y1
SEX	
AGE	ad.
TOE-CLIPS	
WEIGHT(gms)	
SNOUT-VENT LENGTH(mm)	110
DATE	Apr. 29, 1959
SPEEDOMETER	6127
LOCALITY	5 mi. N.W. of 1000 Palms
COUNTY	Riverside
STATE	Calif.
STANDARD TIME	1045
CLOUDS(% overcast)	0
MOON	—
RELATIVE HUMIDITY(%)	20
WIND DIRECTION	S.
ALTITUDE(ft.)	600
WIND VELOCITY(mi/hr)	3-5
ROAD TEMP. °C	
AIR TEMP (30 in) °C	38.4
AIR TEMP (1 cm) °C	40.0
SURFACE TEMP °C	51.5
CLOACAL TEMP °C	
SURFACE TEMP °C	
HABITAT	creosote bush scrub (sandy)
REMARKS	

Dipsosaurus dorsalis 27

ACCESSION NO. R2 AGE ad.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 116

DATE Apr. 29, 1959 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 17

WIND DIRECTION S ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 5-8 ROAD TEMP. °C

AIR TEMP (30 in) 38.6 °C AIR TEMP(1 cm) 41.0 °C

SURFACE TEMP 56.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS: was in branches of *Larrea divericata* — dropped to ground when branches disturbed.

SPECIES Dipsosaurus dorsalis FIELD NO. 28

CONTAINER NO. R17 SEX ♂ AGE ad. TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 134

DATE May 23, 1959 SPHENOMETER 3106

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1355 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. °C

AIR TEMP (30 in) 30.2 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 57.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: At base of *Ephedra* sp.

SPECIES: Dipsosaurus dorsalis FIELD NO.: 29

CONTAINER NO.: R18 SEX: ♀ AGE: imm TOE-CLIP:

WEIGHT(gms): SNOUT-VENT LENGTH(mm): 86

DATE: May 23, 1959 SPEEDOMETER: 3228

LOCALITY: 4 mi. N.W. of 1000 Palms

COUNTY: Riverside STATE: Calif.

STANDARD TIME: 2050 CLOUDS(% overcast): 0

MOON: Full RELATIVE HUMIDITY(%): —

WIND DIRECTION: N.W. ALTITUDE(ft.): 600

WIND VELOCITY(mi/hr): 16-20 gusts to 32 ROAD TEMP.: 20.0

AIR TEMP (30 in): 19.6 °C AIR TEMP(1 cm): 21.8

GROUND SURFACE TEMP: °C CLOACAL TEMP:

ROCK SURFACE TEMP: °C

HABITAT: Creosote bush scrub

REMARKS: Hugging pavement

SPECIES Dipsosaurus dorsalis [illegible] 30

SPECIMEN NO. R22 SEX ♀ AGE ad. [illegible]

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 119

DATE May 23, 1959 SPEEDOMETER 3106

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1316 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi./hr.) 0 ROAD TEMP.

AIR TEMP (30 in) 30.2 °C AIR TEMP(1 cm) 36.4

SOIL SURFACE TEMP 57.0 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.

SPECIES Dipsosaurus dorsalis NO. 31

CONTAINER NO. R 22 SEX ♂ AGE ad.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 132

DATE May 23, 1959 SPEEDOMETER 3106

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(Ft.) ~~1300~~ 300

WIND VELOCITY(mi/hr) ~~30.2~~ 0 ROAD TEMP.

AIR TEMP (30 in) 30.2 °C AIR TEMP(1 cm) 36.4

SURFACE TEMP 57.0 °C CLOACAL TEMP

CONTACT TEMP °C

HABITAT creosote bush scrub

REMARKS Along bank of All-American Canal out on open ground

SPECIES Dipsosaurus dorsalis TAG NO. ~~27~~ 32

CONTAINER NO. R19 SEX ♀ AGE ad.

WEIGHT (gms) ______ SNOUT-VENT LENGTH (mm) ~~86~~ 118

DATE May 22, 1959 SPEEDOMETER 2853

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1210 CLOUDS (% overcast) 0

MOON — RELATIVE HUMIDITY (%) —

WIND DIRECTION S.E. ALTITUDE (ft.) 1400

WIND VELOCITY (mi/hr) 8-12 ROAD TEMP ______

AIR TEMP (30 in) 29.6 °C AIR TEMP (1 cm) 31.8

SOIL SURFACE TEMP 47.5 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT sand in creosote bush scrub

REMARKS: ______

SPECIES *Dipsosaurus dorsalis* TAG NO. 33

CONTAINER NO. R17 SEX ♂ ? AGE ad ? TAIL-CLIPS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 108

DATE May 29, 1959 SPEEDOMETER 7635

LOCALITY 3 mi. E. of Garnet

COUNTY Riverside STATE Calif.

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 29-33 ROAD TEMP. 24.9

AIR TEMP (30 in) 20.1 °C AIR TEMP(1 cm) 21.4

SOIL SURFACE TEMP 24.3 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS Hugging pavement of road — caught by hand.

SPECIES Dipsosaurus dorsalis NO. 34

SPECIMEN NO. R16 SEX ♂ AGE imm? TOE-CLIP

LENGTH(mm) SNOUT-VENT LENGTH(mm) 90

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 13-19 ROAD TEMP.

AIR TEMP (30 in) 29.8 °C AIR TEMP(1 cm) 33.0

SOIL SURFACE TEMP 47.0 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Creosote bush scrub.

REMARKS: Found resting in the shade of the car.

SPECIES Dipsosaurus dorsalis TAG. NO. 35

CATALOGUE NO. B 25 SEX ♀ AGE imm. TOE CLIP #

WEIGHT (gms) SNOUT-VENT LENGTH (mm) 80

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1030 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY (%) 31

WIND DIRECTION 0 ALTITUDE (ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 32.6 °C AIR TEMP (1 cm) 36.6 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun in open

SPECIES Dipsosaurus dorsalis TAG NO. 36

CONTAINER NO. B18 SEX ~~♀ (?)~~ ♂ AGE imm. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1050 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 26

WIND DIRECTION N.E. ALTITUDE(ft.) 1480

WIND VELOCITY (mi/hr) 5-8 ROAD TEMP.

AIR TEMP(36 in) 32.6 °C AIR TEMP(1 cm) 36.6 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.

SPECIES Dipsosaurus dorsalis TAG NO. 37

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 132

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1110 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 26

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 8-10 ROAD TEMP.

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 40.4 °C

SOIL SURFACE TEMP 56.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.

SPECIES Dipsosaurus dorsalis TAG. NO. 38

CATALOGUE NO. R2 SEX ♂ AGE ad. TOE CLIP

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 123

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1055 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 26

WIND DIRECTION N.E. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 5-8 ROAD TEMP.

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 40.4 °C

SOIL SURFACE TEMP 56.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 39

CONTAINER NO. R5 SEX ♂ AGE ad. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 126

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1140 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 21

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 10-13 ROAD TEMP.

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 40.4 °C

SOIL SURFACE TEMP 56.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 40

CONTAINER NO. R11[illegible] SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 130

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1220 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 21

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 10 - 13 ROAD TEMP.

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 40.5 °C

SOIL SURFACE TEMP 59.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 41

CONTAINER NO. X9 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 122

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1155 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 21

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 10-13 ROAD TEMP.

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 40.5 °C

SOIL SURFACE TEMP 59.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub.

REMARKS: sitting in shade of creosote bush.

SPECIES Dipsosaurus dorsalis TAG NO. H2

CONTAINER NO. [redacted]Y10 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 125

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1240 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 21

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 10-13 ROAD TEMP.

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 40.5 °C

SOIL SURFACE TEMP 59.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.

SPECIES Dipsosaurus dorsalis TAG NO. 43

CONTAINER NO. Y1 SEX ♂ AGE ad. TOE-CLIP 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 127

DATE June 11, 1959 SPEEDOMETER 3933

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 26

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______

AIR TEMP (30 in) 32.2 °C AIR TEMP(1 cm) 34.0 °C.

SOIL SURFACE TEMP 43.5 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on sand.

SPECIES Dipsosaurus dorsalis TAG NO. 44

CONTAINER NO. Y1 SEX ♀ AGE imm TOE-CLIP # 1

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE June 11, 1959 SPEEDOMETER 3933

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 0800 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 26

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi./hr.) 0 ROAD TEMP.

AIR TEMP (30 in) 32.2 °C AIR TEMP(1 cm) 34.0 °C.

SOIL SURFACE TEMP 43.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting on sand in sun

SPECIES Dipsosaurus dorsalis TAG NO. 45

CONTAINER NO. R1 SEX ♂ AGE ad.(?) TOE-CLIPS 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 117

DATE June 11, 1959 SPEEDOMETER 3933

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 26

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______

AIR TEMP (30 in) 34.4 °C AIR TEMP(1 cm) 36.0°C.

SOIL SURFACE TEMP 49.0 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub

REMARKS: sitting on open sand in sun.

SPECIES Dipsosaurus dorsalis TAG NO. 46

CONTAINER NO. R1 SEX ♂ AGE ad. TOE-CLIPS 4

WEIGHT(gm) ______ SNOUT-VENT LENGTH(mm) 134

DATE June 11, 1959 SPEEDOMETER 3933

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 26

WIND DIRECTION N.E. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ______

AIR TEMP (30 in) 34.4 °C AIR TEMP(1 cm) 36.0°C.

SOIL SURFACE TEMP 49.0 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of *Franseria dumosa*

SPECIES Dipsosaurus dorsalis TAG NO. 47

CONTAINER NO. R9 SEX ♂ AGE ad. TOE-CLIP

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 137

DATE June 11, 1959 SPEEDOMETER 3939

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 16

WIND DIRECTION N.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 9 ROAD TEMP.

AIR TEMP (30 in) 38.5 °C AIR TEMP(1 cm) 41.8

SOIL SURFACE TEMP 58.0 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush

SPECIES Dipsosaurus dorsalis TAG. NO. 48

CONTAINER NO. R16 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 127

DATE June 12, 1959 SPEEDOMETER 4079

LOCALITY 8 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1025 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 16

WIND DIRECTION S.E. ALTITUDE(ft.) 250

WIND VELOCITY (mi/hr) 8-10 ROAD TEMP. 62.5 °C.

AIR TEMP(30 in) 40.5 °C AIR TEMP(1 cm) 44.5 °C

SOIL SURFACE TEMP 62.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP ~~62.5~~ °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of shrub at side of road.

SPECIES Dipsosaurus dorsalis REG. NO. 49

CONTAINER NO. R16 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 111

DATE June 12, 1959 SPEEDOMETER 4079

LOCALITY 8 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1030 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 16

WIND DIRECTION S. E. ALTITUDE(ft.) 250

WIND VELOCITY (mi/hr) 8–10 ROAD TEMP. 62.5 °C.

AIR TEMP(30 in) 40.5 °C AIR TEMP(1 cm) 44.5 °C

SOIL SURFACE TEMP 62.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: Ran across the road and climbed a creosote bush (about 24" above the ground)

SPECIES Dipsosaurus dorsalis TAG. NO. 50

CONTAINER NO. R16 SEX ♂ AGE ad TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 113

DATE June 12, 1959 SPEEDOMETER 4079

LOCALITY 8 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1033 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 16

WIND DIRECTION S.E. ALTITUDE(ft.) 250

WIND VELOCITY (mi/hr) 8-10 ROAD TEMP. 62.5 °C.

AIR TEMP(30 in) 40.5 °C AIR TEMP(1 cm) 44.5 °C

SOIL SURFACE TEMP 62.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting about 18 inches above the ground in a creosote bush.

Dipsosaurus dorsalis 51

R16 ♂ ad

134

June 12, 1959 4079

8 mi. N.W. of 1000 Palms

Riverside

1035 0

— 16

S.E. 250

8-10 62.5 °C.

40.5 44.5

62.0

creosote bush scrub

sitting on extended trunk of
creosote bush.

Dipsosaurus dorsalis 52

R16 ♂ ad.

133

June 12, 1959 4079

8 mi. N.W. of 1000 Palms

Riverside

1040 0

— 16

S.E. 250

8-10 62.5 °C.

40.5 44.5

62.0

creosote bush habitat

sitting up in a creosote bush after it ran across the road.

Dipsosaurus dorsalis 53

R15 ♀ ad.

118

June 12, 1959 4076

5 mi. N.W. of 1000 Palms

Riverside

0930 0

— 18

S. E. 600

7-9

38.5 42.4

52.0

creosote bush scrub

sitting in shade of creosote bush.

Dipsosaurus dorsalis 54

R10 ♂ ad

120

June 12, 1959 4076

5 mi. N.W. of 1000 Palms

Riverside

0830 0

— 20

S.E. 600

7-9

36.2 38.2

42.8 39.4

creosote bush scrub

sitting in sun on top of rock, about 30" above the ground.

SPECIES Dipsosaurus dorsalis 55

COLLECTION NO. — SEX ♂ AGE ad

WEIGHT (gm) SNOUT-VENT LENGTH (mm) 125

DATE May 23, 1956 COLLECTOR —

LOCALITY Kane Springs

COUNTY San Bernardino STATE

STANDARD TIME CLOUDS (% overcast)

SKY RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft.)

WIND VELOCITY (mi/hr) ROAD TIME

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP

BODY SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS Autopsied 6/22/59 after being held in captivity over 3 years. No other data collected.

Dipsosaurus dorsalis 56

♂ ad.

121

June 23, 1959

8 mi N.W. of 1000 Palms

Riverside

250

creosote bush scrub

no other data available

Dipsosaurus dorsalis 57

♂ ad.

132

June 23, 1959

8 mi. N.W. of 1000 Palms

Riverside

250

creosote bush scrub

no other data available

Dipsosaurus dorsalis 58

♂ imm.

90

June 23, 1959

8 mi. N.W. of 1000 Palms

Riverside

250

creosote bush scrub

no other data available

SPECIES Dipsosaurus dorsalis TAG. NO. 59

CONTAINER NO. R3 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 117

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0907 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 42.6 °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS: sitting in partial shade on a small dune. No chase.

SPECIES Dipsosaurus dorsalis TAG. NO. 60

CONTAINER NO. R 5 SEX ♂ AGE imm. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0955 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION S. E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 33.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.8 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.
No chase.

SPECIES Dipsosaurus dorsalis TAG. NO. 61

CONTAINER NO. Y5 SEX ♀ AGE imm. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1045 CLOUDS (% Overcast) 50 (thin)

MOON – RELATIVE HUMIDITY(%) 41

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 39.6 °C

SOIL SURFACE TEMP 51.5 °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on top of a rock. No chase.

SPECIES Dipsosaurus dorsalis TAG. NO. 62

CONTAINER NO. B18 SEX ♀ AGE imm. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1055 CLOUDS (% Overcast) 50(thin)

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 39.6 °C

SOIL SURFACE TEMP 51.5 °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush. No chase.

SPECIES Dipsosaurus dorsalis TAG. NO. 63

CONTAINER NO. R 19 SEX ♂ [redacted] AGE ad? TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 111

DATE July 20, 1959 SPEEDOMETER 8202

LOCALITY 7 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1110 CLOUDS (% Overcast) 60 (thin)

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION S. E. ALTITUDE(ft.) 800

WIND VELOCITY (mi/hr) 3 - 5 ROAD TEMP. 64.0

AIR TEMP(30 in) 35.4 °C AIR TEMP(1 cm) 42.0 °C

SOIL SURFACE TEMP 59.5 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP [redacted] °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on pavement. No chase.

SPECIES Dipsosaurus dorsalis TAG. NO. 64

CONTAINER NO. R 19 SEX ♂ : AGE ad. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 121

DATE July 20, 1959 SPEEDOMETER 8202

LOCALITY 7 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1135 CLOUDS (% Overcast) 60 (thin)

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION S.E. ALTITUDE(ft.) 800

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP. 64.0

AIR TEMP(30 in) 35.4 °C AIR TEMP(1 cm) 42.0 °C

SOIL SURFACE TEMP 59.5 °C CLOACAL TEMP 43.7 °C

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush.
No chase.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 65

CONTAINER NO. R8 SEX ♂ AGE ad.(?) TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 104

DATE July 21, 1959 SPEEDOMETER 8396

LOCALITY 8 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 0915 CLOUDS (% Overcast) 60 (thin)

MOON — RELATIVE HUMIDITY(%) 39

WIND DIRECTION S.E. ALTITUDE(ft.) 300

WIND VELOCITY (mi/hr) 8-12 ROAD TEMP.

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 47.5 °C CLOACAL TEMP 43.8 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting on pavement. Ran to a bush about 50 yards away in one burst. No chase after it reached the bush.

Dipsosaurus dorsalis 66

R11 ♂ ad.

128

July 22, 1959 8620

22 mi. E. of 29 Palms

San Bernardino

0825 80

— 30

S.W. 1400

5-7

36.0 38.0

46.5 38.1

creosote bush scrub

Just emerged from a hole. Ran about 10 ft. to a creosote bush. Dead on arrival at UCR. Preserved testes in Bouin's solution and formalin anyway.

Left testis – 6.6 x 4.1 mm.

Right " – 6.6 x 3.6 "

Dipsosaurus dorsalis 67

B17 ♂ imm.

84

July 22, 1959 8620

22 mi. E. of 29 Palms

0930 80

— 25

N.W. 1400

5-8

43.6

creosote bush scrub

sitting in sun on open sand. Ran ~10 feet to creosote bush.

Dipsosaurus dorsalis 68

R15 ♂ imm.

85

July 22, 1959 8620

22 mi. E. of 29 Palms

San Bernardino

1005 80

— 23

0 1400

0

37.8 42.0

54.5 44.7

creosote bush scrub

5 minute chase in one creosote bush.

Dipsosaurus dorsalis 69

R15 ♀ imm(?) 1

99

July 22, 1959 8620

22 mi. E. of 29 Palms

San Bernardino

1010 80

— 23

0 1400

0

37.8 42.0

54.5 43.5

—

creosote bush scrub

No chase. Near creosote bush.

SPECIES Dipsosaurus dorsalis TAG. NO. 70

CONTAINER NO. R15 SEX ♂ AGE ad? TOE CLIP # 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 112

DATE July 22, 1959 SPEEDOMETER 8621

LOCALITY 21 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1030 CLOUDS (% Overcast) 80 (thin)

MOON - RELATIVE HUMIDITY(%) 23

WIND DIRECTION N.E. ALTITUDE(ft.) 1250

WIND VELOCITY (mi/hr) 2-5 ROAD TEMP. ______

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 43.2 °C

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub

REMARKS: sitting off the ground in shade of creosote bush. 3 foot chase.

SPECIES Dipsosaurus dorsalis TAG. NO. 71

CONTAINER NO. Y2 SEX ♀ AGE imm. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE July 22, 1959 SPEEDOMETER 8622

LOCALITY 20 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1040 CLOUDS (% Overcast) 80 (thin)

MOON — RELATIVE HUMIDITY(%) 23

WIND DIRECTION N.E. ALTITUDE(ft.) 1250

WIND VELOCITY (mi/hr) 2-5 ROAD TEMP.

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 43.6 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush. No chase.

Dipsosaurus dorsalis 72

B 32 ♂ imm. 4

74

DATE July 22, 1959 8623

LOCALITY 19 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1048 80

— RELATIVE HUMIDITY(%) 23

WIND DIRECTION N. E. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 3-5 WATER TEMP.

AIR TEMP(.5 in) 37.8 °C AIR TEMP(1 m) 42.0 °C

SOIL SURFACE TEMP 54.5 °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS sitting in a creosote bush about 12 inches above the ground. No chase.

Dipsosaurus dorsalis 73

Y2 ♂ ad. 4

126

July 22, 1959 8623

19 mi. E. of 29 Palms

San Bernardino

1048 80

— 23

N.E. 1400

3-5

37.8 42.0

54.5 44.6

creosote bush scrub

sitting in shade of creosote bush. No chase.

SPECIES Dipsosaurus dorsalis TAG. NO. 74

SPECIMEN NO. Y2 SEX ♀ AGE ad. TOE CLIP # 5

LENGTH(mm) ______ SNOUT-VENT LENGTH(mm) 127

DATE July 22, 1959 SPEEDOMETER 8623

LOCALITY 19 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1100 CLOUDS (% Overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) 23

WIND DIRECTION N.E. ALTITUDE(ft.) 1300

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP. ______

AIR TEMP(30 in) 39.0 °C AIR TEMP(1 cm) 41.5 °C

SOIL SURFACE TEMP 59.0 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub

REMARKS: sitting on sand in sun. Ran about 40 feet to creosote bush (ran slowly).

Dipsosaurus dorsalis 75

— ♂ imm.

102

Aug. 19, 1959

Palm Springs

Riverside

~1130

500

creosote bush scrub

Caught by Harry Cramer. No other data available.

Dipsosaurus dorsalis 76

— ♀ imm.

Ⓣ4

Aug. 19, 1959

Palm Springs

Riverside

~1130

creosote bush scrub

Caught by Harry Cramer. No other data available.

Dipsosaurus dorsalis 77

— ♀ imm.

97

Aug. 19, 1959

Palm Springs

Riverside

~1130

creosote bush scrub

Caught by Harry Cramer. No other data available.

Dipsosaurus dorsalis — 78

R43 — ♂ — imm.

SNOUT-VENT LENGTH(mm) 75

DATE Aug. 20, 1959 — 29875

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 0

RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 23.0 °C AIR TEMP(1cm) 26.0 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 42.6 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting on open sand in sun. 10 ft. chase.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 79

CONTAINER NO. R15 SEX ♀ AGE ad. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 116

DATE AUG 31 [redacted] 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 24

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 38.5 °C AIR TEMP(1 cm) 43.0 °C

SOIL SURFACE TEMP 51.5 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in sun on open sand

SPECIES Dipsosaurus dorsalis CAT. NO. 80

SPECIMEN NO. B35 SEX ♂ AGE imm. TOE CLIPS 1

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE Aug. 20, 1959 SPEEDOMETER 29877

LOCALITY 24 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION N.W. ALTITUDE(ft.) 1500

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP (30 in) 33.0 °C AIR TEMP(1cm) 34.5 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun under creosote bush. No chase.

SPECIES Dipsosaurus dorsalis TAG. NO. 81

CONTAINER NO. B37 SEX [redacted] ♀ AGE imm. TOE CLIPS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE Aug. 20, 1959 SPEEDOMETER 29875

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 33

WIND DIRECTION 0 ALTITUDE(Ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 23.0 °C AIR TEMP(1cm) 26.0 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 41.3 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on open sand. 15 ft. chase.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 82

CONTAINER NO. R29 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 131

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 45.0 °C

SOIL SURFACE TEMP 54.5 °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of creosote bush

SPECIES Dipsosaurus dorsalis CAT. NO. 83

CONTAINER NO. R11 SEX [redacted] ♂ AGE ad. TOE CLIP [redacted] 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 126

DATE Aug. 19, 1959 SPEEDOMETER 29655

LOCALITY 6 mi. w. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY (mi/hr) 0 ROAD TEMP. 46.5

AIR TEMP (30 in) 32.0 °C AIR TEMP(1cm) 35.0 °C

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP 42.4 °C

ROCK SURFACE TEMP ______ °C

HABITAT sand dune

REMARKS: sitting in sun on sand at side of road. 40 ft. chase. Regenerating tail. Orange on sides.

SPECIES Dipsosaurus dorsalis TAG. NO. 84

CONTAINER NO. R50 SEX ♂ AGE ad. TOE CLIP# 6

WEIGHT (gms) ______ SNOUT-VENT LENGTH (mm) 131

DATE Aug. 20, 1959 SPEEDOMETER 29877

LOCALITY 24 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1120 CLOUDS (% overcast) 0

MOON – RELATIVE HUMIDITY (%) 31

WIND DIRECTION 0 ALTITUDE (ft.) 1500

WIND VELOCITY (mi/hr) 0 ROAD TEMP. ______

AIR TEMP (30 in) 27.6 °C AIR TEMP (1cm) 31.6 °C

SOIL SURFACE TEMP 43.0 °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub

REMARKS: sitting in sun beneath Larrea divericata. No chase.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 85

CONTAINER NO. R6 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 122

DATE Aug. 20, 1959 SPEEDOMETER 29877

LOCALITY 24 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION S. E. ALTITUDE(ft.) 1500

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 30 FEET

REMARKS: sitting in sun on open sand

SPECIES *Dipsosaurus dorsalis* TAG. NO. 86

CONTAINER NO. — SEX ♂ AGE imm. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 96

DATE Aug. 31, 1959 SPEEDOMETER —

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 41.5 °C AIR TEMP(1 cm) 46.0 °C

SOIL SURFACE TEMP 61.5 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE ______ FEET

REMARKS: Caught by Harry Cramer. No other data available.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 87

CONTAINER NO. — SEX ♂ AGE imm. TOE CLIP# 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 82

DATE Sept. 1, 1959 SPEEDOMETER —

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE ______ FEET

REMARKS: caught by Harry Cramer. No other data available.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 88

CONTAINER NO. — SEX ♂ AGE ad.(?) TOE CLIP# [illegible]

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 95

DATE Sept. 7, 1959 SPEEDOMETER ________

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) ________

MOON ________ RELATIVE HUMIDITY(%) ________

WIND DIRECTION ________ ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) ________ ROAD TEMP. ________ °C

AIR TEMP(30 in) ________ °C AIR TEMP(1 cm) ________ °C

SOIL SURFACE TEMP ________ °C CLOACAL TEMP ________ °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT creosote bush scrub

CHASE ________ FEET

REMARKS: caught by Harry Cramer. No other data available.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 89

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 107

DATE Sept. 7, 1959 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE ____ FEET

REMARKS: Caught by Harry Cramer. No other data available.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 90

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# [redacted]

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 118

DATE Sept. 7, 1959 SPEEDOMETER ________

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) ________

MOON ________ RELATIVE HUMIDITY(%) ________

WIND DIRECTION ________ ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) ________ ROAD TEMP. ________ °C

AIR TEMP(30 in) ________ °C AIR TEMP(1 cm) ________ °C

SOIL SURFACE TEMP ________ °C CLOACAL TEMP ________ °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT creosote bush scrub

CHASE ________ FEET

REMARKS: caught by Harry Cramer. No other data available.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 91

CONTAINER NO. — SEX ♀ AGE ad.(?) TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 102

DATE 15 Sept. 1959 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE ____ FEET

REMARKS: caught by Harry Cramer. No other data available.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 92

CONTAINER NO. R47 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 122

DATE Mar. 28, 1960 SPEEDOMETER 34582

LOCALITY 1 mi. N. of Deep Canyon Desert Research station

COUNTY Riverside CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 700

WIND VELOCITY(mi/hr) 7-12 ROAD TEMP. ______ °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 38.9 °C

ROCK SURFACE TEMP 33.6 °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun on top of small rock

SPECIES *Dipsosaurus dorsalis* TAG. NO. 93

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 120

DATE April 12, 1960 SPEEDOMETER 34853

LOCALITY 8 mi. N. of Desert Center

COUNTY Riverside CALIF.

STANDARD TIME 1245 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 56

WIND DIRECTION S. W. ALTITUDE(ft.) 1000

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.2 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 40.8 °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT dry stream bed - desert wash

CHASE 10 FEET

REMARKS: in sun beside carry-all as we ate lunch.

SPECIES Dipsosaurus dorsalis TAG. NO. 94

CONTAINER NO. R4 SEX ♀ AGE Ad TOE CLIP # 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 131

DATE 12 Apr 1960 SPEEDOMETER 34853

LOCALITY 8 Mi. N. Desert Center

COUNTY ~~San Bernardino~~ Riverside. CALIF.

STANDARD TIME 1315 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 56

WIND DIRECTION S. W. ALTITUDE(ft.) 1000

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.2 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 40.8 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT Desert Wash.

CHASE 0 FEET

REMARKS: In sun on ground under Larrea divaricata

SPECIES Dipsosaurus dorsalis TAG. NO. 95

CONTAINER NO. Y6 SEX ♂ AGE IMM TOE CLIP # 3

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 89

DATE 12 Apr 1960 SPEEDOMETER 34853

LOCALITY 8 Mi N. of Desert Center

COUNTY ~~San Bernardino~~ Riverside CALIF.

STANDARD TIME 1340 CLOUDS(% overcast) 45

MOON — RELATIVE HUMIDITY(%) 56

WIND DIRECTION S.W. ALTITUDE(ft.) 1000

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. ________ °C

AIR TEMP(30 in) 26.2 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 40.8 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT Desert Wash

CHASE 1 FEET

REMARKS: In sun on ground under Larrea divaricata

SPECIES *Dipsosaurus dorsalis* TAG. NO. 96

CONTAINER NO. R29 SEX ♂ AGE ad. TOE CLIP# 4

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 130

DATE APR 13 1960 SPEEDOMETER 35055

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ________ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 38.0 °C

SOIL SURFACE TEMP 48.6 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in broken sunlight beneath *Larrea diverricata*.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 97

CONTAINER NO. R28 SEX ♂ AGE ad. TOE CLIP# 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 134

DATE APR 13 1960 SPEEDOMETER 35054

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1540 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 38.0 °C

SOIL SURFACE TEMP 48.6 °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun at base of *Larrea diviricata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 98

CONTAINER NO. R49 SEX ♀ AGE ad (?) TOE CLIP# 6

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 101

DATE APR 13 1960 SPEEDOMETER 35054

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1555 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 50

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 40.5 °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 6 FEET

REMARKS: in broken shade beneath Larrea diuericata.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 99

CONTAINER NO. Y9 SEX ♀ AGE ad (?) TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 94

DATE April 14, 1960 SPEEDOMETER 35332

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 51

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5–8 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 10 FEET

REMARKS: on pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 100

CONTAINER NO. Y9 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 123

DATE APR 14 1960 SPEEDOMETER 35332

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1245 CLOUDS(% overcast) 10

MOON – RELATIVE HUMIDITY(%) 51

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 39.7 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 5 FEET

REMARKS: in sun on rock; ran down in a hole & was down about 1 minute

SPECIES *Dipsosaurus dorsalis* TAG. NO. 101

CONTAINER NO. R25 SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 130

DATE APR 14 1960 SPEEDOMETER 35332

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1250 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 5)

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on top of black asphalt pile. ♀ caught at same place — thought to be a pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 102

CONTAINER NO. R25 SEX ♀ AGE ad TOE CLIP# 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 115

DATE APR 14 1960 SPEEDOMETER 35332

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1250 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 57

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on top of asphalt pile. ♂ caught at same place - thought to be a pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 103

CONTAINER NO. R22 SEX ♂ AGE ad (?) TOE CLIP# 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 89

DATE APR 14 1960 SPEEDOMETER 35332

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1255 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 51

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES *Dipsosaurus dorsalis* TAG. NO. 104

CONTAINER NO. R12 SEX ♀ AGE ad (?) TOE CLIP# 6

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 117

DATE APR 14 1960 SPEEDOMETER 35332

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1305 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 51

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ____ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 41.7 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE 15 FEET

REMARKS: in sun on sand. Ran between cardboard boxes.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 105

CONTAINER NO. R12 SEX ♀ AGE ad(?) TOE CLIP# 7

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 108

DATE APR 14 1960 SPEEDOMETER 35332

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1305 CLOUDS(% overcast) 30

MOON —— RELATIVE HUMIDITY(%) 51

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT Creosote bush scrub

CHASE 10 FEET

REMARKS: in sun on sand. Ran under an old rug.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 106

CONTAINER NO. R14 SEX ♂ AGE ad. TOE CLIP# 8

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 127

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1315 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION s.w. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ________ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT creosote bush scrub

CHASE 6 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 107

CONTAINER NO. R 10 SEX ♀ AGE ad. TOE CLIP# 9

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 118

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 41.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 2 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES Dipsosaurus dorsalis TAG. NO. 108

CONTAINER NO. R1 SEX ♂ AGE ad. TOE CLIP# 10

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 132

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1340 CLOUDS(% overcast) 30

MOON —— RELATIVE HUMIDITY(%) 50

WIND DIRECTION S. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 41.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 10 FEET

REMARKS: broken sun under Larrea divericata

SPECIES *Dipsosaurus dorsalis* TAG. NO. 109

CONTAINER NO. R20 SEX ♀ AGE ad. TOE CLIP# 11

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 122

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1350 CLOUDS(% overcast) 30

MOON – RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 3 FEET

REMARKS: in sun on sand

SPECIES *Dipsosaurus dorsalis* TAG. NO. 110

CONTAINER NO. R26 SEX ♂ AGE ad. TOE CLIP# 12

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 130

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1405 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in broken shade beneath *Larrea diver*i*cata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 111

CONTAINER NO. R26 SEX ♂ AGE ad.? TOE CLIP# 13

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 111

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1410 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote

CHASE 3 FEET

REMARKS: in broken shade of *Larrea diverivcata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 112

CONTAINER NO. R17 SEX ♂ AGE ad. TOE CLIP# 14

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 123

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1414 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 39.7 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 5 FEET

REMARKS: in broken shade under *Larrea divericata*

SPECIES Dipsosaurus dorsalis TAG. NO. 113

CONTAINER NO. R17 SEX ♂ AGE ad. TOE CLIP# 15

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 122

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1418 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 39.3 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 1 FEET

REMARKS: in broken shade under Larrea diverticata

SPECIES *Dipsosaurus dorsalis* TAG. NO. 114

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# 16

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 118

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1420 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 41.7 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 4 FEET

REMARKS: in sun under *Larrea diverica ta*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 115

CONTAINER NO. R7 SEX ♂ AGE ad. TOE CLIP # 17

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 124

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1425 CLOUDS(% overcast) 30

MOON —— RELATIVE HUMIDITY(%) 50

WIND DIRECTION S. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 40.9 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT Creosote bush scrub

CHASE 3 FEET

REMARKS: in sun on open sand

SPECIES *Dipsosaurus dorsalis* TAG. NO. 116

CONTAINER NO. V7 SEX ♀ AGE ad. TOE CLIP # 18

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 113

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1445 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.8 °C AIR TEMP(1 cm) 37.2 °C

SOIL SURFACE TEMP 49.2°C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in broken shade of Larrea divericata #19 caught in same bush, but about 6 feet away.

SPECIES Dipsosaurus dorsalis TAG. NO. 117

CONTAINER NO. 17 SEX ♂ AGE ad. TOE CLIP # 19

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 128

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1447 CLOUDS(% overcast) 10

MOON – RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3.5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.8 °C AIR TEMP(1 cm) 37.2 °C

SOIL SURFACE TEMP 49.2 °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in broken shade beneath Larrea diver icata. #18 caught 6 feet away in same bush.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 118

CONTAINER NO. Y11 SEX ♂ AGE ad. TOE CLIP # 20

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 119

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1508 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ________ °C

AIR TEMP(30 in) 32.8 °C AIR TEMP(1 cm) 37.2 °C

SOIL SURFACE TEMP 49.2 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT creosote bush scrub

CHASE 6 FEET

REMARKS: in broken shade beneath *Larrea divericata*.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 119

CONTAINER NO. R4b SEX ♀ AGE ad. TOE CLIP # 1

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 113

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1510 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 8-12 ROAD TEMP. ____ °C

AIR TEMP(30 in) 32.8 °C AIR TEMP(1 cm) 37.2 °C

SOIL SURFACE TEMP 49.2 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE 10 FEET

REMARKS: in sun on open soil

SPECIES *Dipsosaurus dorsalis* TAG. NO. 120

CONTAINER NO. Y11 SEX ♀ AGE ad. TOE CLIP # 21

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 115

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1515 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 8-12 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 34.4 °C

SOIL SURFACE TEMP 45.8 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT Creosote bush scrub

CHASE 10 FEET

REMARKS: in broken shade under Larrea diváricata.

SPECIES Dipsosaurus dorsalis TAG. NO. 121

CONTAINER NO. R46 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 118

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1530 CLOUDS(% overcast) 10

MOON – RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 8-12 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 34.4 °C

SOIL SURFACE TEMP 45.8 °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 1 FEET

REMARKS: under Opuntia sp.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 122

CONTAINER NO. R27 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 134

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 34.2 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 40 FEET

REMARKS: crossed road in front of us.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 123

CONTAINER NO. Y1 SEX ♂ AGE ad. TOE CLIP # ________

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 126

DATE APR 21 1969 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0850 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ________ °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 34.2 °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in shade of *Larrea diverica*ta

SPECIES *Dipsosaurus dorsalis* TAG. NO. 124

CONTAINER NO. Y 13 SEX ♂ AGE ad. TOE CLIP # ________

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 128

DATE [illegible] 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) ________

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ________ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES *Dipsosaurus dorsalis* TAG. NO. 125

CONTAINER NO. R44 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 116

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP 40.1 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: broken sun under *Franseria dumosa*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 126

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 130

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0935 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4°C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun beneath Larrea divericata.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 127

CONTAINER NO. R5 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 130

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY ~~SAN BERNARDINO~~ CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP 40.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun beside *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 128

CONTAINER NO. R42 SEX ♂ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 135

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0950 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun

SPECIES *Dipsosaurus dorsalis* TAG. NO. 129

CONTAINER NO. R36 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 124

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0955 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4°C CLOACAL TEMP 35.9 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: up in *Larrea diverica*ta about 18 inches.

SPECIES Dipsosaurus dorsalis TAG. NO. 130

CONTAINER NO. R9 SEX ♂ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 128

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 50 (Thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP 40.5 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on top of small rock

SPECIES *Dipsosaurus dorsalis* TAG. NO. 131

CONTAINER NO. R15 SEX ♂ AGE ad.? TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 108

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4°C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on sand

SPECIES *Dipsosaurus dorsalis* TAG. NO. 132

CONTAINER NO. R19 SEX ♂ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 120

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1015 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: in broken shade beneath dead annuals.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 133

CONTAINER NO. R22 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 131

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1058 CLOUDS(% overcast) 40(thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 47.2 °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in sun on open sand

SPECIES *Dipsosaurus dorsalis* TAG. NO. 134

CONTAINER NO. R43 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 121

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 40 (Thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 47.2 °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun on sand

SPECIES *Dipsosaurus dorsalis* TAG. NO. 135

CONTAINER NO. R 6 SEX ♂ AGE ad.(?) TOE CLIP# 1

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 101

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1105 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 47.2 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: broken shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 136

CONTAINER NO. Y5 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 121

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1120 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 47.2 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of *Hilaria rigida*. Caught with ♂ - thought to be a pair.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 137

CONTAINER NO. Y5 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 131

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1120 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 47.2 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on open sand. ♀ caught with it — thought to be a pair.

SPECIES Dipsosaurus dorsalis TAG. NO. 138

CONTAINER NO. R41 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 124

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1140 CLOUDS(% overcast) 40 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 1420

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. ______ °C

AIR TEMP(30 in) 34.0 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 53.5 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea divaricata

SPECIES *Dipsosaurus dorsalis* TAG. NO. 139

CONTAINER NO. R41 SEX ♀ AGE ad. TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 123

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1155 CLOUDS(% overcast) 60 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. ______ °C

AIR TEMP(30 in) 34.0 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 53.5 °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on open sand at edge of hole.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 140

CONTAINER NO. R6 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 137

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1205 CLOUDS(% overcast) 60 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. ____ °C

AIR TEMP(30 in) 34.0 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 53.5 °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in sun on open sand

SPECIES Dipsosaurus dorsalis TAG. NO. 141

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 123

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 1405 CLOUDS(% overcast) 15

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. ____ °C

AIR TEMP(30 in) 22.5 °C AIR TEMP(1 cm) 26.6 °C

SOIL SURFACE TEMP 43.0 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE 1 FEET

REMARKS: in sun on accretion dune

SPECIES Dipsosaurus dorsalis TAG. NO. 142

CONTAINER NO. R49 SEX ♂ AGE ad? TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 110

DATE April 29, 1960 SPEEDOMETER 2750

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1350 CLOUDS(% overcast) 20

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) 25.5 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.0 °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE ______ FEET

REMARKS: ______

SPECIES *Dipsosaurus dorsalis* TAG. NO. 143

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 129

DATE MAY 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 47.0 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 144

CONTAINER NO. R14 SEX ♀ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 118

DATE MAY 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 46.4 °C

SOIL SURFACE TEMP 47.5 °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 145

CONTAINER NO. R25 SEX ♂ AGE ad? TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 112

DATE MAY 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1012 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 34.6 °C AIR TEMP(1 cm) 40.2 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in shade of Larrea divericata

SPECIES *Dipsosaurus dorsalis* TAG. NO. 146

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 145

DATE MAY 1 [illegible] SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS:

SPECIES *Dipsosaurus dorsalis* TAG. NO. 147

CONTAINER NO. R7 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 117

DATE MAY 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1115 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.0 °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea diverciata

SPECIES *Dipsosaurus dorsalis* TAG. NO. 148

CONTAINER NO. R11 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 128

DATE [illegible] 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.0 °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 149

CONTAINER NO. R23 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 138

DATE MAY 1 1980 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 40.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: ______

SPECIES *Dipsosaurus dorsalis* TAG. NO. 150

CONTAINER NO. R51 SEX ♂ AGE ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 136

DATE MAY 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 41.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 43.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS:

SPECIES *Dipsosaurus dorsalis* TAG. NO. 151

CONTAINER NO. R5 SEX ♂ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 124

DATE [illegible] SPEEDOMETER 42081

LOCALITY Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION ______ ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 10 FEET

REMARKS: ______

SPECIES *Dipsosaurus dorsalis* TAG. NO. 152

CONTAINER NO. R45 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 115

DATE May 1, 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME ______ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE ______ FEET

REMARKS: ______

SPECIES *Dipsosaurus dorsalis* TAG. NO. 153

CONTAINER NO. Y7 SEX ♂ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 129

DATE May 1, 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE ____ FEET

REMARKS:

SPECIES *Dipsosaurus dorsalis* TAG. NO. 154

CONTAINER NO. R45 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 126

DATE May 1, 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME ______ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE ______ FEET

REMARKS: ______

SPECIES *Dipsosaurus dorsalis* TAG. NO. 155

CONTAINER NO. R11 SEX ♀ AGE imm? TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 98

DATE MAY 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1115 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.0 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of *Larrea divaricata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 156

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 132

DATE May 9, 1960 SPEEDOMETER 36190

LOCALITY 6 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ________ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 53.0 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: ran into hole at base of rock. Another ♂ caught in same hole.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 157

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 127

DATE MAY 9 1960 SPEEDOMETER 36190

LOCALITY 6 mi. W. of [redacted] 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 53.0 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in hole with another ♂.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 158

CONTAINER NO. R19 SEX [redacted]♀ AGE ad. TOE CLIP # 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 117

DATE MAY 9 1960 SPEEDOMETER 36190

LOCALITY 6 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1235 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) –

WIND DIRECTION S.E. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 53.0°C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in broken shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 159

CONTAINER NO. R19 SEX ♂ AGE ad. TOE CLIP # 4

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 122

DATE MAY 9 1960 SPEEDOMETER 36190

LOCALITY 6 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ________ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 53.0°C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT creosote bush scrub

CHASE 6 FEET

REMARKS: in broken shade beneath *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 160

CONTAINER NO. R1 SEX ♀ AGE ad TOE CLIP # 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 114

DATE MAY 9 1960 SPEEDOMETER 36190

LOCALITY 6 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1245 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 53.0 °C CLOACAL TEMP 40.7 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 8 FEET

REMARKS: in broken shade beneath *Larrea diviericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 161

CONTAINER NO. R1 SEX ♀ AGE ad. (?) TOE CLIP # 6

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 107

DATE [illegible] SPEEDOMETER 36190

LOCALITY 6 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 53.0 °C CLOACAL TEMP 40.1 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 30 FEET

REMARKS: in broken shade beneath *Larrea diverícata*.

SPECIES *Dipsosaurus dorsalis* TAG. NO. 162

CONTAINER NO R48 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 118

DATE MAY 10 1960 SPEEDOMETER 36488

LOCALITY 7 N.W. 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1550 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ______ °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 45.0 °C

SOIL SURFACE TEMP 57.0 °C CLOACAL TEMP 43.7 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP 43.0 °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in shade of *Larrea divericata*

SPECIES *Dipsosaurus dorsalis* TAG. NO. 163

CONTAINER NO. Y2 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 125

DATE MAY 10 1960 SPEEDOMETER 36373

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) –

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 44.0 °C

AIR TEMP(30 in) 32.6 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 48.5 °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on blacktop at edge of pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 164

CONTAINER NO. Y7 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 134

DATE MAY 10 1960 SPEEDOMETER 36373

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 44.0 °C

AIR TEMP(30 in) 32.6 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 48.5 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: walked across open about 50 ft. before we were anywhere near it

SPECIES *Dipsosaurus dorsalis* TAG. NO. 165

CONTAINER NO. Y1 SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 138

DATE MAY 10 1960 SPEEDOMETER 36373

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 44.0 °C

AIR TEMP(30 in) 32.6 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 48.5 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on blacktop at edge of pavement

SPECIES *Dipsosaurus dorsalis* TAG. NO. 166

CONTAINER NO. Y1 SEX ♀ AGE ~~ad~~ imm? TOE CLIP# 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 103

DATE MAY 10 1960 SPEEDOMETER 36373

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 51.0 °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 37.2 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 46.6 °C
Actual temp = 47.0°C.

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on blacktop at edge of pavement

Note. The Schultheis thermometer used for this record was calibrated using an Exax, N.B.S. calibrated thermometer (58512) (NBS 56) & found to be 0.4°C low at 47.0°C. (

SPECIES Dipsosaurus dorsalis TAG. NO. 167

CONTAINER NO. R40 SEX ♀ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 122

DATE MAY 18 1960 SPEEDOMETER 36376

LOCALITY 10 mi W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON —— RELATIVE HUMIDITY(%) ——

WIND DIRECTION SW ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. 56.0 °C

AIR TEMP(30 in) 37.6 °C AIR TEMP(1 cm) 39.2 °C

SOIL SURFACE TEMP 56.0 °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: Broken shade of creosote

SPECIES *Dipsosaurus dorsalis* TAG. NO. 168

CONTAINER NO. R40 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 122

DATE MAY 10 1966 SPEEDOMETER 36376

LOCALITY 10 mi W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. 56.0 °C

AIR TEMP(30 in) 37.6 °C AIR TEMP(1 cm) 39.2 °C

SOIL SURFACE TEMP 56.0 °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Broken shade of creosote

SPECIES Dipsosaurus dorsalis TAG. NO. 169

CONTAINER NO. R40 SEX ♀ AGE Ad? TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 115

DATE MAY 14 1960 SPEEDOMETER ______

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 400

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In sun on lee side of accretion dune. Within 1 ft. of ♂. Possible pair

SPECIES Dipsosaurus dorsalis TAG. NO. 170

CONTAINER NO. R40 SEX ♂ AGE Ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 123

DATE MAY 14 1960 SPEEDOMETER ____

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W ALTITUDE(ft.) 400

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. — °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In sun on lee side of accretion dune - within 1 ft. of ♀. Possible pair

SPECIES Dipsosaurus dorsalis TAG. NO. 171

CONTAINER NO. Y9 SEX ♀ AGE Ad TOE CLIP# 1

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 117

DATE MAY 14 1960 SPEEDOMETER ____

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) [redacted] 400

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 172

CONTAINER NO. Y9 SEX ♀ AGE Ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 110

DATE MAY 14 1960 SPEEDOMETER ____

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 400

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In shade of Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 173

CONTAINER NO. R2 SEX ♂ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 128

DATE MAY 14 1960 SPEEDOMETER ______

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 400

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In shade of Larrea

SPECIES *Dipsosaurus dorsalis* TAG. NO. 174

CONTAINER NO. Y 6 SEX ♂ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 124

DATE MAY 14 1960 SPEEDOMETER ______

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS:

SPECIES *Dipsosaurus dorsalis* TAG. NO. 175

CONTAINER NO. 47 SEX ♀ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 126

DATE MAY 14 1960 SPEEDOMETER ______

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: ______

SPECIES *Dipsosaurus dorsalis* TAG. NO. 176

CONTAINER NO. R48 SEX ♀ AGE Ad TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 111

DATE MAY 14 1960 SPEEDOMETER 32082

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) 30 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: ~~[illegible]~~ Open area sitting within 1 ft. of a ♂.

SPECIES Dipsosaurus dorsalis TAG. NO. 177

CONTAINER NO. R5 SEX ♂ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 122

DATE MAY 14 1960 SPEEDOMETER ______

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: One of three caught in same Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 178

CONTAINER NO. R5 SEX ♀ AGE Ad? TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 115

DATE MAY 14 1960 SPEEDOMETER ______
MAY 14 1960

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: One of three caught in same Larrea

SPECIES Dipsosaurus dorsalis TAG. NO. 179

CONTAINER NO. R39 SEX ♂ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 132

DATE MAY 14 1960 SPEEDOMETER 32082

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1053 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) 30 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: Open sun

Sitting within 1 ft. of ♀

SPECIES Dipsosaurus dorsalis TAG. NO. 180

CONTAINER NO. R39 SEX ♂ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 122

DATE MAY 14 1960 SPEEDOMETER 32082

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) ______

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) 30 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: Open sun.

SPECIES Dipsosaurus dorsalis TAG. NO. 181

CONTAINER NO. R20 SEX ♀ AGE Imm TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 104

DATE MAY 14 1980 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1105 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) ______

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) 30 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: ______

SPECIES Dipsosaurus dorsalis TAG. NO. 182

CONTAINER NO. R29 SEX ♂ AGE Imm TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 113

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION N.W ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) 30 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Broken shade within 1 ft. of ♀.

SPECIES Dipsosaurus dorsalis TAG. NO. 183

CONTAINER NO. R29 SEX ♀ AGE Imm TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 116

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. — °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) 30 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Broken shade within 1ft of ♂

SPECIES Dipsosaurus dorsalis TAG. NO. 184

CONTAINER NO. R 7 SEX ♀ AGE [illegible] TOE CLIP# ________

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 109

DATE MAY 14 1960 SPEEDOMETER ________

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1115 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ________ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ________ °C

SOIL SURFACE TEMP ________ °C CLOACAL TEMP ________ °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ________ FEET

REMARKS:

SPECIES *Dipsosaurus dorsalis* TAG. NO. 185

CONTAINER NO. R23 SEX ♂ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 127

DATE [illegible] 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Broken shade

SPECIES *Dipsosaurus dorsalis* TAG. NO. 186

CONTAINER NO. R11 SEX ♀ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 121

DATE 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS:

SPECIES Dipsosaurus dorsalis TAG. NO. 187

CONTAINER NO. R44 SEX ♀ AGE mm TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 111

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS:

SPECIES Dipsosaurus dorsalis TAG. NO. 188

CONTAINER NO. R50 SEX ♂ AGE Ad TOE CLIP# ________

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 124

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON ________ RELATIVE HUMIDITY(%) ________

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ________ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ________ °C

SOIL SURFACE TEMP ________ °C CLOACAL TEMP ________ °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ________ FEET

REMARKS:

SPECIES Dipsosaurus dorsalis TAG. NO. 189

CONTAINER NO R42 SEX ♂ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 120

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100 -1130 CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION N. W. ALTITUDE(ft.) ______

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS:

SPECIES Dipsosaurus dorsalis TAG. NO. 190

CONTAINER NO. R9 SEX ♂ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 121

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: ______

SPECIES Dipsosaurus dorsalis TAG. NO. 191

CONTAINER NO. R9 SEX ♀ AGE Imm TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 112

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION N.W. ALTITUDE(ft.) ____

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS:

SPECIES Dipsosaurus dorsalis TAG. NO. 192

CONTAINER NO. R9 SEX ♀ AGE Ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 120

DATE MAR 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100 - 1130 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION N. W ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS:

SPECIES *Dipsosaurus dorsalis* TAG. NO. 193

CONTAINER NO. Y1 SEX ♂ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 128

DATE MAY [illegible] 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100 - 1130 CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS:

SPECIES *Dipsosaurus dorsalis* TAG. NO. 194

CONTAINER NO. Y1 SEX ♀ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 119

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100 - 1130 CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: ______

SPECIES *Dipsosaurus dorsalis* TAG. NO. 195

CONTAINER NO. R21 SEX ♀ AGE Ad TOE CLIP# ________

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 119

DATE MAY 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON ________ RELATIVE HUMIDITY(%) ________

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ________ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ________ °C

SOIL SURFACE TEMP ________ °C CLOACAL TEMP ________ °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ________ FEET

REMARKS:

SPECIES *Dipsosaurus dorsalis* TAG. NO. 196

CONTAINER NO. R21 SEX ♂ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 128

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. — °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: ______

SPECIES Dipsosaurus dorsalis TAG. NO. 197

CONTAINER NO. Y11 SEX ♀ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 106

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. — °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: ______

SPECIES Dipsosaurus dorsalis TAG. NO. 198

CONTAINER NO. R27 SEX ♀ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 116

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. — °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS:

SPECIES Dipsosaurus dorsalis TAG. NO. 199

CONTAINER NO. R24 SEX ♂ AGE Ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 125

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ______ FEET

REMARKS: ______

SPECIES Dipsosaurus ~~[illegible]~~ dorsalis TAG. NO. 200

CONTAINER NO. R15 SEX ♀ AGE Ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 118

DATE MAY 14 1960 SPEEDOMETER 32084

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100-1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 25 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS:

R-351
STEEL BACKPLATE
S. E. & M. VERNON, INC.
U. S. A.